

Test Report

No.: NGBEC26002891202

Date: Jun 05, 2026

Page 1 of 9

Client Name:

Client Address:

Sample Name: steel water bottle

Client Ref. Information:

The above sample(s) and information were provided by the client.

SGS Job No.: NBP26-003008

Sample Receiving Date: Apr 16, 2026

Testing Period: Apr 16, 2026 ~ Apr 24, 2026

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

	Test Requirement	Comment
1	EN 14350:2020+A1:2023 - Colour Fastness	Pass
2	EN 14350:2020+A1:2023 - Migration of elements	Pass
3	EN 14350:2020+A1:2023 - Migration of certain elements	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Ningbo) Co., Ltd.

Hedy Hu

Hedy Hu

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Ningbo) Co., Ltd.
Central Chemicals Technical Services (Ningbo) Co., Ltd.

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 / 1/F, & Unit 2, 4/F, Building 5 / Unit 2, 1/F, & 2/F to 5/F, Building 4 / Unit 2, 1/F, Building 3 / 4/F, Building 1, No. 1177 Lingyan Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
中国·浙江·宁波市高新区梅墟街道云霞1177号001幢4层, 003幢3层, 009幢4层, 001幢4层, 004幢5层, 006幢5层, 008幢1层, 008幢4层, 5层 sgs.china@sgs.com

Test Report

No.: NGBEC26002891202

Date: Jun 05, 2026

Page 2 of 9

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A1	NGB26-0028912-0001.C001	Silver stainless steel cup	stainless steel
SN2	A2	NGB26-0028912-0001.C002	Purple plastic cover part	PP
SN3	A3	NGB26-0028912-0001.C003	Translucent silicone ring	silicone
SN4	A4	NGB26-0028912-0001.C004	Translucent plastic straw	PP
SN5	A5	NGB26-0028912-0001.C005	Transparent silicone suction nozzle	silicone
SN6	A6	NGB26-0028912-0001.C006	Yellow plastic cover part	PP
SN7	A7	NGB26-0028912-0001.C007	Blue plastic cover part	PP
SN8	A8	NGB26-0028912-0001.C008	Green plastic cover part	PP

Remarks:

- (1) mg/dm² = milligram per square decimeter
mg/inch² = milligram per square inches
µg/cm² = microgram per square centimeter
mg/L = milligram per litre
mg/kg = milligram per kilogram
- (2) °C = degree Celsius
°F = degree Fahrenheit
- (3) < = less than
- (4) RL = Reporting Limit
- (5) ND = Not Detected (< RL).

EN 14350:2020+A1:2023 - Colour Fastness

Test Method: With reference to EN 14350:2020+A1:2023 Clause 8.8.3.

Simulant used	Limit	A2	Comment
3% Acetic acid (W/V)	Negative	Negative	Pass

Simulant used	Limit	A4	Comment
3% Acetic acid (W/V)	Negative	Negative	Pass

Simulant used	Limit	A6	Comment
3% Acetic acid (W/V)	Negative	Negative	Pass

Simulant used	Limit	A7	Comment
3% Acetic acid (W/V)	Negative	Negative	Pass

Simulant used	Limit	A8	Comment
3% Acetic acid (W/V)	Negative	Negative	Pass

Notes:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSA Inspection & Testing Services (Shanghai) Co., Ltd.
Central Chemicals & Physical Services (Shanghai) Co., Ltd.

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/F, & 2/F to 5/F, Building 4/1/F, Building 3/1/F, Building 1, No. 1177 Lingyun Road, Meixu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com.cn
中国·浙江·宁波市高新区梅墟街道凌云路1177号607室4层, 003室3号4层, 009室4号4层, 009室4号3-5层, 004室5号4层, 004室5号4层, 008室1号4层, 008室1号4层, 5层 sgs.china@sgs.com

Test Report

No.: NGBEC26002891202

Date: Jun 05, 2026

Page 5 of 9

Test Item(s)	Limit	Unit(s)	RL	A8
Soluble Chromium (III) (Cr III)	100	mg/kg	5	ND
Soluble Chromium(VI)(Cr VI)	★	mg/kg	0.0025	ND
Soluble Mercury (Hg)	20	mg/kg	1	ND
Soluble Selenium (Se)	100	mg/kg	10	ND
Soluble Boron (B)	3200	mg/kg	50	ND
Soluble Cobalt (Co)	28	mg/kg	1	ND
Soluble Manganese (Mn)	600	mg/kg	50	ND
Soluble Strontium (Sr)	12000	mg/kg	50	ND
Soluble Zinc (Zn)	10000	mg/kg	50	ND
Soluble Copper (Cu)	1660	mg/kg	50	ND
Soluble Aluminum (Al)	6000	mg/kg	50	ND
Soluble Nickel (Ni)	56	mg/kg	5	ND
Soluble Tin (Sn)	40000	mg/kg	1	ND
Soluble Organic Tin*	2.5	mg/kg	-	ND
Comment				Pass

Notes:

(1) ★: As specified reference EN 14350:2020+A1:2023, the technical specificities were considered and it is suggested that the actual detection limit of EN 71-3:2019+A1:2021 test method shall be applied. This means that whenever the Cr VI level measured in the sample is below the Limit of EN 71-3:2019+A1:2021, the sample is to be considered passed.

(2) According to Chapter of 10.1.2 of EN 71-3:2019+A1:2021, Chromium (III) is calculated by the following formula:

Soluble Chromium (III) = Soluble Total Chromium - Soluble Chromium (VI)

(3) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSY (Shanghai) Technical Services (Shanghai) Co., Ltd.
Central Chemicals (Shanghai) Technical Services (Shanghai) Co., Ltd.

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/F, 1/F, & 2/F to 5/F, Building 4/Unit 2, 1/F, Building 3/4/F, Building 1, No. 1177 Lingyun Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
中国·浙江·宁波市高新区梅墟街道凌云路1177号607室4层, 003室3号1层, 009室4号1层, 009室4号2-5层, 004室5号1层, 004室5号4层, 008室1号1层, 008室1号2层, 5层 sgs.china@sgs.com



Test Report

No.: NGBEC26002891202

Date: Jun 05, 2026

Page 6 of 9

Sample Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/Unit 2, 1/F, & 2/F to 5/F, Building 4/Unit 2, 1/F, Building 3/4/F, Building 1, No. 1177 Lingyun Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
中国·浙江·宁波市高新区梅墟街道凌云路1177号607室4层, 803室3号1层2区, 809室4号1层2区, 809室4号2-5层, 808室5号1层, 808室6号4层2区, 808室7号1层4区, 808室7号1层2区, 5区 sgs.china@sgs.com

Test Report


No.: NGBEC26002891202

Date: Jun 05, 2026

Page 7 of 9



NGB26-0028912-0001.C003



NGB26-0028912-0001.C004



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/Unit 2, 1/F, & 2/F to 5/F, Building 4/Unit 2, 1/F, Building 3/4/F, Building 1, No. 1177 Lingyun Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
 中国·浙江·宁波市高新区梅墟街道凌云路1177号607室4层, 803室3层1层2区, 809室4层1层2区, 809室4层2-5层, 808室5层1层, 808室4层4层2区, 808室1层1层4区, 808室1层1层2区, 5区 sgs.china@sgs.com

Test Report


No.: NGBEC26002891202

Date: Jun 05, 2026

Page 8 of 9



NGB26-0028912-0001.C005



NGB26-0028912-0001.C006



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS' Technical Service (Ningbo) Co., Ltd.
Central Chemicals' Technical Service (Ningbo) Co., Ltd.



Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/Unit 2, 1/F, & 2/F to 5/F, Building 4/Unit 2, 1/F, Building 3/4/F, Building 1, No. 1177 Lingyun Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgsgroup.com.cn
中国·浙江·宁波市高新区梅墟街道凌云路1177号007幢1层4区, 003幢3号1层2区, 009幢4号1层2区, 009幢4号2-5区, 004幢5号1层, 004幢6号4层2区, 008幢1号1层4区, 008幢1号1层2区, 5区 sgs.china@sgs.com

Test Report

No.: NGBEC26002891202

Date: Jun 05, 2026

Page 9 of 9



SGS authenticate the photo on original report only
*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7/1/F, & Unit 2, 4/F, Building 5/1/Unit 2, 1/F, & 2/F to 5/F, Building 4/Unit 2, 1/F, Building 3/4/F, Building 1, No. 1177 Lingyun Road, Meixi Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
中国·浙江·宁波市高新区梅墟街道凌云路1177号607室4层, 603室3层1层2层, 609室4层1层2层, 609室4层2-5层, 606室5层1层, 606室4层4层2层, 606室1层1层4层, 606室1层1层2层, 5层 sgs.china@sgs.com